

Receiving Report

Date: 12/2/8

Batch No: 2120607

Supplier: THY S/Corp.

Dart P/O: 16032

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☐ No ☒
 Receipt: Cash ☐ Cr ☐

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☐ No ☒
 Shipment Complete: Yes ☐ No ☒ N/A ☒
 QC6 Inspection ☒ N/A ☒
 Work Order m/n/u N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
M 307	5226A	160	0	0	160	

Initials of receiver (if shipment OK) Level 12 h

Production/Admin: 12/2/8
 Date
 Received/Costing h
 Initial h

Location _____

Page 1 of 1

All amounts are calculated in domestic currency.

Grouped by Vendor ID

[illegible]

No: PEC 750657

Ship Date 01Feb12 at 11:28 From PFW

B I L L O F L A D I N G

Probill
Via VIM TRANSFER
CONCORD
PREPAID
Route 0 - 0 Manifest
Trailer
Slip STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 9057389033

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

UZ118412

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

TOTAL ITEMS (1,2,3) 1 SKID G.W. 709 LBS
MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
TO SHIPPING.
ATTN: CHANTAL/LINDA
** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **
** REFERENCED ON IT **

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
CONCORD, ONT. *** 9:00 AM TO 4:00 PM ***
*** TEL. 800-926-2600 ***
* WE STOCK STAINLESS STEEL
* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

Page: 2 ... Last

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ETRE
RAPPORTÉES IMMÉDIATEMENT.
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT
MARCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

TVQ/GST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001


DATE

PO/Rel 16032

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by:

BL PEC-750657-001



MILL TEST CERTIFICATE
EN 10204-3.1

No.1 Langang Road, East Section, Economy & Technology
Development Zone, Quesangshou, China
TEL: +86-020-32101118
FAX: +86-020-32101112

5030 COPY

CUSTOMER METAL SALES LIMITED

311097401

2011-APR-7

Customer No. FB0001

Product COLD ROLLED STAINLESS STEEL SHEET IN COIL NO. 28

Certificate No. 311097401

Date 2011-APR-7

Order No. UAL102201

FINISH

PEP 97/23/PC

1/1

Specification/Steel Grade: ASTM A240-09 S30400/S30403
Surface Finish: No. 2B

Test Temp. 22°C

Product ID	Heat No.	Dimension	QTY	Weight(Kg)	I.C test	Specimen No.	Proof Stress (N/mm ²)			Tensile Stress (N/mm ²)	Elong. (%)	Hardness Test	
							0.2%	1.0%	min			HRB	HV
125710385B	U2118412	0.1200 inch *48	1	6.648	OK	125710385B	308	352	min 355	633	40	92	179
125710385C	U2118412	0.1200 inch *48	1	7.063	OK	125710385C	308	382		633	51	87	179
125710385D	U2118412	0.1200 inch *48	1	6.553	OK	125710385D	308	352		633	51	87	179
				Subtotal 20,264									
Product ID	Chemical Composition												
	C	Si	Mn	P	S	NI	Cr	N					
Max./Max.	0.030	0.75	2.00	0.045	0.030	12.00	19.50	0.100					
125710385B	0.030	0.81	0.98	0.031	0.003	8.03	18.30	0.061					
125710385C	0.030	0.81	0.98	0.031	0.003	8.03	18.30	0.061					
125710385D	0.030	0.61	0.98	0.031	0.003	8.03	18.30	0.061					
1 Test Method 1.1 Tensile Test EN 10002-1:2001 1.2 IC Test Method A or EN ISO 5651-2:1988 2 Positive Material Identification conducted 3 The heat treatment temp. is around 1060°C±50°C. the recrystallization annealing temp. is around 1100°C±50°C.													

1 We hereby certify that the material described herein has been manufactured and tested in accordance with the a.m. material
specification.
2 We hereby certify that on the material described above no radiation contamination has been detected.
3 LUSCO has established a QMS according to ISO 9001, which is certified by DNV CERT (reg.-no. 3863-2007-AQ-RGC-RVA).
4 The report can only be reproduced in full.

Marking:

Heat No.
Product ID
Steel grade
Manufacturers mark

Works Inspector's Stamp

Works Inspector

LZ-JA-A-0004 第3版 2011-02-01

405 60110000

PO/Rel 16032

We certify that this is a true copy of the report
furnished by the producer of the metal, or data
resulting from tests made in approved labs.

Signed by:

BL PEC-750657-003

運錫鋼鐵股份有限公司

YUEN CHANG STAINLESS STEEL CO., LTD.

檢驗證明書

INSPECTION CERTIFICATE

列印日期 (ISSUE DATE): 2011/09/30

高雄市前金區中正路 235 號 13F
13-F, No. 235, Jungeng, 4th Road
Chiangjin Chiu, Kaohsiung, Taiwan.

PO No.: 82518
Shipment No.: 4970

ORIGINAL

Global Stainless Steel Inc.
1150 Meyerside Drive, Mississauga,
Ontario, Canada, L5T 1J4

客戶名稱 Customer	鋼捲編號 Coil No.	爐號 Heat No.	鋼種 Steel Grade	表面 Finish	產品尺寸 (MM) Thickness x Width x Length	淨重 (KG) Net Weight
項目 Item						
8	KA10505990E10-3	A1101712	304	NO.4	1.20 x 1219 x 3048	1,386
9	KA10508840J20-3	A1101752	304	NO.4	1.50 x 1219 x 3048	1,142
10	KA10508840J20-4	A1101752	304	NO.4	1.50 x 1219 x 3048	1,134
11	KA10505150E10-1	A2101743	304	2B	1.50 x 1219 x 2438	1,814
12	KA10336420D10	A2101093	304	2B	0.90 x 1219 x 2438	1,161
13	H4886-1	B9857-4000	304	2B	3.00 x 1219 x 2438	1,108
14	KA10505990E20	A1101712	304	2B	1.20 x 1219 x 3048	1,368

化學成份

機械性質

項目 Item	C	Si	Mn	P	S	Cr	Ni	N	抗拉強度 T.S N/MM ²	降伏強度 Y.S(0.2%) N/MM ²	伸長率 Elong (%)	硬度 HRB	硬度 HV
8	0.040	0.460	1.130	0.039	0.001	18.100	8.000	0.050	686	288	55.0	87.5	-
9	0.040	0.460	1.110	0.036	0.002	18.200	8.000	0.040	663	325	56.0	83.0	-
10	0.040	0.460	1.110	0.036	0.002	18.200	8.000	0.040	663	325	56.0	83.0	-
11	0.050	0.320	1.170	0.037	0.001	18.200	8.000	0.040	658	271	58.0	79.5	-
12	0.040	0.390	1.170	0.035	0.002	18.000	8.000	0.040	658	290	57.5	84.5	-
13	0.046	0.414	1.195	0.033	0.003	18.075	8.063	0.054	640	274	56.3	84.2	-
14	0.040	0.460	1.130	0.039	0.001	18.100	8.000	0.050	686	288	55.0	87.5	-

茲證明本表所列產品，均依材料規格製造及試驗，並符合規格之要求。

We hereby certify that the products described herein have been manufactured and tested with
Satisfactory results in accordance with the requirement of the above material specification.

本產品無輻射污染，並且不含汞。

The material described above is free irradiation and free mercury.

Accordance With ASTM A240 And ASTM A480

For and on behalf of
YUEN CHANG STAINLESS
STEEL CO., LTD.

Authorized Signature

DART aerospace
 Dart Aerospace Ltd.
 1270 Aberdeen Street
 Hawkesbury, ON K6A 1K7
 Tel: 613 632 9577
 Fax: 613 632 1053

PURCHASE ORDER
 Purchase Order ID PO16032
 Purchase Order Date 1/30/12
 PO Print Date 1/30/12
 Page Number 1 of 2

Order From :
 THYSSENKRUPP MATERIALS CA LTD
 O/A VPK METAL- C/O T27540/PO BOX 4275, POSTAL "A"
 TORONTO, ON M5W 5V8
 CA

Contact Name
 Vendor Phone 905 669 9444
 Vendor Fax 905 738 9033
 Vendor Account Nbr
 Buyer
 Requisition Nbr
 Tax Resale Nbr
 Terms
 Currency
 FOB

Chantal Lavoie
 10127-2607
 Net 30
 CAD
 Destination-Collect

Ship To :
 DART AEROSPACE LTD
 1270 ABERDEEN
 HAWKESBURY, ON K6A 1K7
 CANADA

Line Nbr	Reference	Revision ID	Vendor Part Number	Description/	Mfg ID	Reg Date/	Taxable	Unit of Measure	Reg Qty/	Ship Method	Unit Price	Extended Price
----------	-----------	-------------	--------------------	--------------	--------	-----------	---------	-----------------	----------	-------------	------------	----------------

1	M304S11GA			304/316 0.125 Sheet		2/03/12	Yes	sf	32.00	Yours ppd	\$9.6875	\$310.00
Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS PER MIL-S-5059 OR AMS 5513 (304) OR ASTM A240 OR ASME SA240												
2	M304S18GA			304/316 .050 Sheet		2/03/12	Yes	sf	128.00	Yours ppd	\$3.8952	\$498.58
Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS PER MIL-S-5059 OR AMS 5513 (304) OR ASTM A240 OR ASME SA240												
3	M304S20GA			304/316 .040 Sheet		2/03/12	Yes	sf	160.00	Yours ppd	\$3.0426	\$486.82
Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS PER MIL-S-5059 OR AMS 5513 (304) OR ASTM A240 OR ASME SA240												

Change Nbr: 1
 Change Date: 1/30/12
 No substitution or deviation without consent.
 Certificate of Conformity or Material
 Certification required when applicable

MATERIAL CERTIFICATION
 READ UPON DELIVERY

4	M304S22GA	304/316 .032 Sheet	2/03/12	160.00	Yours ppd	\$2.6250	\$420.00	Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240	Special Inst: MATERIAL: AISI 304/316 SS SHEET ANNEALED 2B FINISH AS PER MIL-S-5059 OR AMS 5513 (304) OR AMS 5524 (316) OR ASTM A240 OR ASME SA240	PO Total: \$1,715.40
---	-----------	--------------------	---------	--------	-----------	----------	----------	---	---	----------------------

Order From : VC-COP001 THYSSENKRUPP MATERIALS CA LTD O/A VPK METAL-C/O T27540/PO BOX 4275,POSTAL"A" TORONTO, ON M5W 5V8 CA	Buyer Requisition Nbr Tax Resale Nbr Terms Currency FOB	Contact Name Vendor Phone Vendor Fax Vendor Account Nbr	Buyer Chantal Lavoie 10127-2607 Net 30 CAD Destination-Collect
--	--	--	---